


PICO-G510A (MG510UJ)

PICO-ITX with MediaTek Genio 510, Onboard LPDDR4X 8GB, eMMC 64GB, 2 x USB 3.0, 1 x USB Type-C OTG



Features

- PICO-ITX form factor
- MediaTek Genio 510 (MT8370)
- Onboard 8GB LPDDR4X
- eMMC 64GB
- HDMI, MIPI, eDP for dual Display support
- Wide voltage support 12~24V


Video	<p>Arm Mali-G57 MC3 GPU, Support OpenGL ES 1.1/2.0/3.2, and Vulkan 1.0/1.1 :</p> <ul style="list-style-type: none"> 1 x HDMI 2.0, supporting a maximum resolution of 4096x2160 @60Hz (Android only 1920x1200 @60Hz) 1 x MIPI-DSI (DSI 7" 1920x1200) (supports panel model : SHENZHEN STARTEK KD070FHFD078-01-C021A) 1 x eDP (2 x Lan), supporting a maximum resolution of 1920x1080 @60Hz (supports panel model : BOE PV156FHM-N20) * <p>(2 independent display outputs)</p>
Audio	MT6365 (Integrated)
Storage	eMMC v5.1 64GB (on board)
Expansion Slots	<ul style="list-style-type: none"> 1 x 2230 M.2 E-key slot (PCIe x1, USB2.0), supports WiFi6 : Azurewave AWXB468NF (IC:MT7921L) 1 x 3052 M.2 B-Key slot (USB3.0), supports 5G : QUECTEL RM500K-CN / RM520N-GL
Internal I/O	<ul style="list-style-type: none"> 1 x Front panel header 1 x Speaker header 2 x UART 1 x GPIO (8 bits) header 1 x MIPI-DSI 2 x USB 2.0 headers 1 x eDP power header 1 x Nano SIM card slot 1 x Micro SD card slot
Rear I/O	<ul style="list-style-type: none"> 1 x DC In power jack - System adapter 12~24V 2 x USB 3.0 Ports (Host) 1 x USB Type C (OTG) 1 x RJ45 LAN Port 1 x HDMI 1 x Combo audio jack (Headphone & Headset)
OS Compatibility	<ul style="list-style-type: none"> Yocto 24.1 * Ubuntu 22.04 * Android 13 (by demand)
Operating Properties	<ul style="list-style-type: none"> Operating temperature: -20°C to 60°C Operating humidity: 60°C @ 20-95% (non-condensing) Non-operating temperature: -40°C to 85°C Non-operating humidity: 85°C @ 95% (non-condensing)
Order Information	9MG510UJMR-SI (Box packing)

Specifications


Form Factor	PICO ITX 100W x 72D (mm)
CPU	MediaTek Genio 510 (MT8370) : 2 x Arm Cortex-A78, 2.0GHz 6 x Arm Cortex-A55, 2.0GHz
AI Inference Computing Power	MediaTek 5th-Gen NPU 4.0 TOPS (1x MDLA3.0 + 1x Tensilica VP6)
Memory	Onboard 8GB LPDDR4X
Ethernet	Realtek® RTL8211F-CG (10/100/1000 Mbps)

* If other eDP panel supported is needed, please contact with your sales representatives for more information.
 * Yocto OS does not support hot-plug. Please make sure to plug-in Headset before booting up the system.
 * Ubuntu OS supports single audio channel only.

GIGAIPC reserves the right to modify or change technical data without prior notice.



Block Diagram



GIGAIPC reserves the right to modify or change technical data without prior notice.